



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/057,667	01/25/2002	Scott Smith	760-12 DIV	4339

7590 07/16/2004

Salvatore J. Abbruzzese
HOFFMANN & BARON, LLP
6900 Jericho Turnpike
Syosset, NY 11791

EXAMINER

AFTERGUT, JEFF H

ART UNIT	PAPER NUMBER
----------	--------------

1733

DATE MAILED: 07/16/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Advisory Action

Application No.

10/057,667

Applicant(s)

SMITH, SCOTT

Examiner

Jeff H. Aftergut

Art Unit

1733

--The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

THE REPLY FILED 01 July 2004 FAILS TO PLACE THIS APPLICATION IN CONDITION FOR ALLOWANCE. Therefore, further action by the applicant is required to avoid abandonment of this application. A proper reply to a final rejection under 37 CFR 1.113 may only be either: (1) a timely filed amendment which places the application in condition for allowance; (2) a timely filed Notice of Appeal (with appeal fee); or (3) a timely filed Request for Continued Examination (RCE) in compliance with 37 CFR 1.114.

PERIOD FOR REPLY [check either a) or b)]

- a) ☐ The period for reply expires _____ months from the mailing date of the final rejection.
- b) ☒ The period for reply expires on: (1) the mailing date of this Advisory Action, or (2) the date set forth in the final rejection, whichever is later. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of the final rejection. ONLY CHECK THIS BOX WHEN THE FIRST REPLY WAS FILED WITHIN TWO MONTHS OF THE FINAL REJECTION. See MPEP 706.07(f).

Extensions of time may be obtained under 37 CFR 1.136(a). The date on which the petition under 37 CFR 1.136(a) and the appropriate extension fee have been filed is the date for purposes of determining the period of extension and the corresponding amount of the fee. The appropriate extension fee under 37 CFR 1.17(a) is calculated from: (1) the expiration date of the shortened statutory period for reply originally set in the final Office action; or (2) as set forth in (b) above, if checked. Any reply received by the Office later than three months after the mailing date of the final rejection, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

1. ☐ A Notice of Appeal was filed on _____. Appellant's Brief must be filed within the period set forth in 37 CFR 1.192(a), or any extension thereof (37 CFR 1.191(d)), to avoid dismissal of the appeal.
2. ☒ The proposed amendment(s) will not be entered because:
- (a) ☒ they raise new issues that would require further consideration and/or search (see NOTE below);
- (b) ☐ they raise the issue of new matter (see Note below);
- (c) ☒ they are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues for appeal; and/or
- (d) ☐ they present additional claims without canceling a corresponding number of finally rejected claims.

NOTE: See Continuation Sheet.

3. ☐ Applicant's reply has overcome the following rejection(s): _____.
4. ☐ Newly proposed or amended claim(s) _____ would be allowable if submitted in a separate, timely filed amendment canceling the non-allowable claim(s).
5. ☒ The a) ☐ affidavit, b) ☐ exhibit, or c) ☒ request for reconsideration has been considered but does NOT place the application in condition for allowance because: See Continuation Sheet.
6. ☐ The affidavit or exhibit will NOT be considered because it is not directed SOLELY to issues which were newly raised by the Examiner in the final rejection.
7. ☒ For purposes of Appeal, the proposed amendment(s) a) ☒ will not be entered or b) ☐ will be entered and an explanation of how the new or amended claims would be rejected is provided below or appended.

The status of the claim(s) is (or will be) as follows:


Claim(s) allowed: _____.

Claim(s) objected to: _____.

Claim(s) rejected: 1-26.

Claim(s) withdrawn from consideration: _____.

8. ☐ The drawing correction filed on _____ is a) ☐ approved or b) ☐ disapproved by the Examiner.
9. ☐ Note the attached Information Disclosure Statement(s) (PTO-1449) Paper No(s). _____.
10. ☐ Other: _____


Jeff H. Aftergut
Primary Examiner
Art Unit: 1733

Continuation of 2. NOTE: The proposed amendment of claims 1, 8, and 17 to remove that the graft material be "non-woven" is a new issue. As addressed in the Final rejection, a non-woven is a textile material which required the inclusion of the references to any one of Pinchuk, Fogarty, or Dereume in the rejection of the claims. To now exclude this textile material from the claim presents a new issue for further consideration. The inclusion of the new ground of rejection (without these references) does not simplify the issues on appeal but rather forces the examiner to make a new ground of rejection at the appeal stage which is not permitted.

Continuation of 5. does NOT place the application in condition for allowance because: The applicant is advised that their own disclosure appears to suggest that the "planar" stent component need not lie in only two dimensions as argued, see Figures 33-35 and the associated description of the planar stent therein. Applicant is additionally advised that the claim does not exclude the cross over of the stent wires in Cox, as such would not have been a significant third dimension and the arrangement of the stent wires in Cox would have been viewed as "substantially defined in two dimensions" as described in the specification at paragraph [0058]. Applicant is advised that the arguments in this regard are not commensurate in scope with the claims and that if applicant wants to define a "flat" arrangement without wire overlap or crossovers that such language should be incorporated in the claim. The stent arrangement of Figure 33 is a "planar" stent as defined by applicant and it appears to have more significant definition in a third dimension than the cross overs of Cox.